

PLANT	TOXIC PART	SYMPTOMS	
		HOUSE PLANTS	
Hyacinth, Daffodil	Bulbs	Nausea, vomiting, diarrhea. May be fatal.	
Oleander	Leaves, branches	Extremely poisonous. Affects the heart, produces severe digestive upset and has caused death.	
Dieffenbachia (Dumb Cane), Elephant Ear	All parts	Intense burning and irritation of the mouth and tongue. Death can occur if base of the tongue swells enough to block the air passage of the throat.	
Castor Bean	Seeds	Fatal. A single Rosary Pea seed has caused death. One or two Castor Bean seeds are near the lethal dose for adults.	
Poinsettias	Leaves, stems, all parts	Skin, mouth, eye, stomach irritation, discomfort, rash, nausea and vomiting may occur.	
English Ivy	All parts.	Gastrointestinal upset, diarrhea, hyperactivity, difficulty breathing, coma, fever, polydipsia, dilated pupils, muscular weakness, and incoordination.	
	FLC	WER GARDEN PLANTS	
Larkspur	Young leaves, seeds	Digestive upset, nervous excitement, depression, excessive salivation. May be fatal.	
Monkshood	Fleshy roots	Digestive upset and nervous excitement.	
Autumn Crocus	Bulbs	Vomiting and nervous excitement.	
Lily-of-the-Valley	Leaves, flowers	Irregular heart beat and pulse, usually accompanied by digestive upset and mental confusion.	
Iris	Underground stems	Severe-but not usually serious-digestive upset.	
Foxglove	Leaves	Large amounts cause dangerously irregular heartbeat and pulse, usually digestive upset, mental confusion, weakness. May be fatal.	
Jerusalem Cherry	All parts.	Gastrointestinal upset, seizures, depression, difficult breathing, and shock.	
Tulips	Most parts.	Intense vomiting, depression, diarrhea, hypersalivation, inappetence.	
ORNAMENTAL PLANTS			
Daphne	Berries	Fatal. A few berries can kill a child.	
Wisteria	Seeds, pods	Mild to severe digestive upset. Many children are poisoned by this plant.	



Laurels, Azaleas	All parts	Fatal. Produces nausea and vomiting, depression, difficult breathing, prostration and coma.
Jasmine	Berries	Fatal. Digestive disturbance and nervous symptoms.
Lantana Camara (Red Sage)	Green berries	Fatal. Affects lungs, kidneys, heart and nervous system. Grows in the southern U.S. And in moderate climates.
Japanese Yew	Berries, foliage	Fatal. Foliage more toxic than berries. Death is usually sudden without warning symptoms. Early signs include: muscular tremors, difficult breathing, and seizures.
Holly	Berries	Intense vomiting and diarrhea, depression.
Hydrangea	All parts	Vomiting, depression, anorexia, diarrhea, increase in heart rate, increase in body temperature.
	]	TREES AND SHRUBS
Oaks	Foliage, acorns	Affects kidneys gradually. Symptoms appear only after several days or weeks. Takes a large amount for poisoning.
Sago Palm	All parts	Vomiting, melena, icterus, increased thirst, hemorrhagic gastroenteritis, bruising, coagulopathy, liver damage, liver failure, death.
	PLA	NTS IN WOODED AREAS
Mistletoe	Berries	Gastrointestinal disorders, cardiovascular collapse, difficult breathing, erratic behavior.
		PLANTS IN FIELDS
Buttercups	All parts	Irritant juices may severely injure the digestive system.
Nightshade	All parts, unripe berries	Hypersalivation, inappetence server gastrointestinal upset, diarrhea, drowsiness, CNS depression, confusion, behavioral change, weakness, dilated pupils, slow heart rate.
Poison Hemlock	All parts	Fatal. Resembles a large wild carrot.
Calla Lily	All parts	Oral irritation, intense burning and irritation of the mouth, lips, tongue, excessive salivation, vomiting, difficulty in swallowing.
Devil's Ivy	All parts	Oral irritation, intense burning and irritation of the mouth, lips, tongue, excessive salivation, vomiting, difficulty in swallowing.
American Bittersweet	All parts	Weakness, convulsions, gastroenteritis (vomiting, diarrhea.)



1601 N. Main, Pearland, Texas 77581 Phone: (281) 485-2496 Fax: (281) 485-0681 www.pearlandanimalhospital.com